

1号認定者（65歳以上）の実態（地区別）

1. 認定者

KDB 各年3月分要介護（支援）者実況（施設入所・市外住所除く）

(人)	65歳以上										65～74歳（前期高齢者）										75歳以上（後期高齢者）									
	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市			
H27 2015	人口	1,522	1,216	4,648	2,585	663	1,394	782	2,576	15,386	782	644	2,686	1,430	280	659	339	1,239	8,059	740	572	1,962	1,155	383	735	443	1,337	7,327		
	認定者数	226	184	498	316	141	227	136	296	2,024	30	12	67	29	7	21	13	38	217	196	172	431	287	134	206	123	258	1,807		
	認定率	14.8%	15.1%	10.7%	12.2%	21.3%	16.3%	17.4%	11.5%	13.2%	3.8%	1.9%	2.5%	2.0%	2.5%	3.2%	3.8%	3.1%	2.7%	26.5%	30.1%	22.0%	24.8%	35.0%	28.0%	27.8%	19.3%	24.7%		
H28 2016	人口	1,571	1,230	4,876	2,624	664	1,451	801	2,650	15,867	817	635	2,771	1,424	297	702	345	1,288	8,279	754	595	2,105	1,200	367	749	456	1,362	7,588		
	認定者数	235	186	528	344	133	226	149	323	2,124	25	15	64	37	8	19	11	37	216	210	171	464	307	125	207	138	286	1,908		
	認定率	15.0%	15.1%	10.8%	13.1%	20.0%	15.6%	18.6%	12.2%	13.4%	3.1%	2.4%	2.3%	2.6%	2.7%	2.7%	3.2%	2.9%	2.6%	27.9%	28.7%	22.0%	25.6%	34.1%	27.6%	30.3%	21.0%	25.1%		
H29 2017	人口	1,605	1,245	4,984	2,687	677	1,476	808	2,698	16,180	841	641	2,731	1,431	319	709	356	1,340	8,368	764	604	2,253	1,256	358	767	452	1,358	7,812		
	認定者	233	194	549	363	122	236	154	341	2,192	21	13	59	40	6	18	9	33	199	212	181	490	323	116	218	145	308	1,993		
	認定率	14.5%	15.6%	11.0%	13.5%	18.0%	16.0%	19.1%	12.6%	13.5%	2.5%	2.0%	2.2%	2.8%	1.9%	2.5%	2.5%	2.5%	2.4%	27.7%	30.0%	21.7%	25.7%	32.4%	28.4%	32.1%	22.7%	25.5%		
H30 2018	人口	1,641	1,252	5,097	2,723	672	1,484	824	2,777	16,470	855	630	2,713	1,398	325	741	365	1,379	8,406	786	622	2,384	1,325	347	743	459	1,398	8,064		
	認定者	242	195	587	366	118	226	142	383	2,259	22	14	60	45	9	21	9	36	216	220	181	527	321	109	205	133	347	2,043		
	認定率	14.7%	15.6%	11.5%	13.4%	17.6%	15.2%	17.2%	13.8%	13.7%	2.6%	2.2%	2.2%	3.2%	2.8%	2.8%	2.5%	2.6%	2.6%	28.0%	29.1%	22.1%	24.2%	31.4%	27.6%	29.0%	24.8%	25.3%		
H31 2019	人口	1,663	1,279	5,226	2,740	673	1,518	830	2,799	16,728	868	644	2,683	1,339	335	762	373	1,403	8,407	795	635	2,543	1,401	338	756	457	1,396	8,321		
	認定者	245	187	588	389	116	226	156	353	2,260	19	16	63	35	8	21	7	31	200	226	171	525	354	108	205	149	322	2,060		
	認定率	14.7%	14.6%	11.3%	14.2%	17.2%	14.9%	18.8%	12.6%	13.5%	2.2%	2.5%	2.3%	2.6%	2.4%	2.8%	1.9%	2.2%	2.4%	28.4%	26.9%	20.6%	25.3%	32.0%	27.1%	32.6%	23.1%	24.8%		

1号認定者（65歳以上）の実態（地区別）

2. 脳血管疾患を有する者

KDB 各年3月分要介護（支援）者実態状況（施設入所・市外住所除く）

	(人)	65歳以上									65～74歳（前期高齢者）									75歳以上（後期高齢者）								
		神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市
H27 2015	人口	1,522	1,216	4,648	2,585	663	1,394	782	2,576	15,386	782	644	2,686	1,430	280	659	339	1,239	8,059	740	572	1,962	1,155	383	735	443	1,337	7,327
	脳血管疾患	117	92	255	148	59	108	75	115	969	12	9	40	12	3	11	9	17	113	105	83	215	136	56	97	66	98	856
	罹患率	7.7%	7.6%	5.5%	5.7%	8.9%	7.7%	9.6%	4.5%	6.3%	1.5%	1.4%	1.5%	0.8%	1.1%	1.7%	2.7%	1.4%	1.4%	14.2%	14.5%	11.0%	11.8%	14.6%	13.2%	14.9%	7.3%	11.7%
	認定者数	226	184	498	316	141	227	136	296	2,024	30	12	67	29	7	21	13	38	217	196	172	431	287	134	206	123	258	1,807
	脳血管疾患	117	92	255	148	59	108	75	115	969	12	9	40	12	3	11	9	17	113	105	83	215	136	56	97	66	98	856
	罹患率	51.8%	50.0%	51.2%	46.8%	41.8%	47.6%	55.1%	38.9%	47.9%	40.0%	75.0%	59.7%	41.4%	42.9%	52.4%	69.2%	44.7%	52.1%	53.6%	48.3%	49.9%	47.4%	41.8%	47.1%	53.7%	38.0%	47.4%
H28 2016	人口	1,571	1,230	4,876	2,624	664	1,451	801	2,650	15,867	817	635	2,771	1,424	297	702	345	1,288	8,279	754	595	2,105	1,200	367	749	456	1,362	7,588
	脳血管疾患	126	96	275	163	62	113	78	129	1,042	15	12	35	19	3	8	6	18	116	111	84	240	144	59	105	72	111	926
	罹患率	8.0%	7.8%	5.6%	6.2%	9.3%	7.8%	9.7%	4.9%	6.6%	1.8%	1.9%	1.3%	1.3%	1.0%	1.1%	1.7%	1.4%	1.4%	14.7%	14.1%	11.4%	12.0%	16.1%	14.0%	15.8%	8.1%	12.2%
	認定者数	235	186	528	344	133	226	149	323	2,124	25	15	64	37	8	19	11	37	216	210	171	464	307	125	207	138	286	1,908
	脳血管疾患	126	96	275	163	62	113	78	129	1,042	15	12	35	19	3	8	6	18	116	111	84	240	144	59	105	72	111	926
	罹患率	53.6%	51.6%	52.1%	47.4%	46.6%	50.0%	52.3%	39.9%	49.1%	60.0%	80.0%	54.7%	51.4%	37.5%	42.1%	54.5%	48.6%	53.7%	52.9%	49.1%	51.7%	46.9%	47.2%	50.7%	52.2%	38.8%	48.5%
H29 2017	人口	1,605	1,245	4,984	2,687	677	1,476	808	2,698	16,180	841	641	2,731	1,431	319	709	356	1,340	8,368	764	604	2,253	1,256	358	767	452	1,358	7,812
	脳血管疾患	121	98	283	170	49	116	77	146	1,060	10	9	34	19	3	10	5	10	100	111	89	249	151	46	106	72	136	960
	罹患率	7.5%	7.9%	5.7%	6.3%	7.2%	7.9%	9.5%	5.4%	6.6%	1.2%	1.4%	1.2%	1.3%	0.9%	1.4%	1.4%	0.7%	1.2%	14.5%	14.7%	11.1%	12.0%	12.8%	13.8%	15.9%	10.0%	12.3%
	認定者	233	194	549	363	122	236	154	341	2,192	21	13	59	40	6	18	9	33	199	212	181	490	323	116	218	145	308	1,993
	脳血管疾患	121	98	283	170	49	116	77	146	1,060	10	9	34	19	3	10	5	10	100	111	89	249	151	46	106	72	136	960
	罹患率	51.9%	50.5%	51.5%	46.8%	40.2%	49.2%	50.0%	42.8%	48.4%	47.6%	69.2%	57.6%	47.5%	50.0%	55.6%	55.6%	30.3%	50.3%	52.4%	49.2%	50.8%	46.7%	39.7%	48.6%	49.7%	44.2%	48.2%
H30 2018	人口	1,641	1,252	5,097	2,723	672	1,484	824	2,777	16,470	855	630	2,713	1,398	325	741	365	1,379	8,406	786	622	2,384	1,325	347	743	459	1,398	8,064
	脳血管疾患	119	108	285	167	57	111	74	162	1,083	10	8	30	23	5	11	6	12	105	109	100	255	144	52	100	68	150	978
	罹患率	7.3%	8.6%	5.6%	6.1%	8.5%	7.5%	9.0%	5.8%	6.6%	1.2%	1.3%	1.1%	1.6%	1.5%	1.5%	1.6%	0.9%	1.2%	13.9%	16.1%	10.7%	10.9%	15.0%	13.5%	14.8%	10.7%	12.1%
	認定者	242	195	587	366	118	226	142	383	2,259	22	14	60	45	9	21	9	36	216	220	181	527	321	109	205	133	347	2,043
	脳血管疾患	119	108	285	167	57	111	74	162	1,083	10	8	30	23	5	11	6	12	105	109	100	255	144	52	100	68	150	978
	罹患率	49.2%	55.4%	48.6%	45.6%	48.3%	49.1%	52.1%	42.3%	47.9%	45.5%	57.1%	50.0%	51.1%	55.6%	52.4%	66.7%	33.3%	48.6%	49.5%	55.2%	48.4%	44.9%	47.7%	48.8%	51.1%	43.2%	47.9%
H31 2019	人口	1,663	1,279	5,226	2,740	673	1,518	830	2,799	16,728	868	644	2,683	1,339	335	762	373	1,403	8,407	795	635	2,543	1,401	338	756	457	1,396	8,321
	脳血管疾患	123	105	282	179	56	99	86	152	1,082	9	11	23	17	5	9	5	10	89	114	94	259	162	51	90	81	142	993
	罹患率	7.4%	8.2%	5.4%	6.5%	8.3%	6.5%	10.4%	5.4%	6.5%	1.0%	1.7%	0.9%	1.3%	1.5%	1.2%	1.3%	0.7%	1.1%	14.3%	14.8%	10.2%	11.6%	15.1%	11.9%	17.7%	10.2%	11.9%
	認定者	245	187	588	389	116	226	156	353	2,260	19	16	63	35	8	21	7	31	200	226	171	525	354	108	205	149	322	2,060
	脳血管疾患	123	105	282	179	56	99	86	152	1,082	9	11	23	17	5	9	5	10	89	114	94	259	162	51	90	81	142	993
	罹患率	50.2%	56.1%	48.0%	46.0%	48.3%	43.8%	55.1%	43.1%	47.9%	47.4%	68.8%	36.5%	48.6%	62.5%	42.9%	71.4%	32.3%	44.5%	50.4%	55.0%	49.3%	45.8%	47.2%	43.9%	54.4%	44.1%	48.2%

1号認定者（65歳以上）の実態（地区別）

3. 認知症を有する者

KDB 各年3月分要介護（支援）者実態状況（施設入所・市外住所除く）

	(人)	65歳以上									65～74歳（前期高齢者）									75歳以上（後期高齢者）								
		神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市
H27 2015	人口	1,522	1,216	4,648	2,585	663	1,394	782	2,576	15,386	782	644	2,686	1,430	280	659	339	1,239	8,059	740	572	1,962	1,155	383	735	443	1,337	7,327
	認知症	76	56	162	101	33	72	43	102	645	7	3	8	4	0	5	1	7	35	69	53	154	97	33	67	42	95	610
	罹患率	5.0%	4.6%	3.5%	3.9%	5.0%	5.2%	5.5%	4.0%	4.2%	0.9%	0.5%	0.3%	0.3%	0.0%	0.8%	0.3%	0.6%	0.4%	9.3%	9.3%	7.8%	8.4%	8.6%	9.1%	9.5%	7.1%	8.3%
	認定者数	226	184	498	316	141	227	136	296	2,024	30	12	67	29	7	21	13	38	217	196	172	431	287	134	206	123	258	1,807
	認知症	76	56	162	101	33	72	43	102	645	7	3	8	4	0	5	1	7	35	69	53	154	97	33	67	42	95	610
	罹患率	33.6%	30.4%	32.5%	32.0%	23.4%	31.7%	31.6%	34.5%	31.9%	23.3%	25.0%	11.9%	13.8%	0.0%	23.8%	7.7%	18.4%	16.1%	35.2%	30.8%	35.7%	33.8%	24.6%	32.5%	34.1%	36.8%	33.8%
H28 2016	人口	1,571	1,230	4,876	2,624	664	1,451	801	2,650	15,867	817	635	2,771	1,424	297	702	345	1,288	8,279	754	595	2,105	1,200	367	749	456	1,362	7,588
	認知症	80	65	180	122	38	82	49	114	730	4	5	12	6	1	6	2	10	46	76	60	168	116	37	76	47	104	684
	罹患率	5.1%	5.3%	3.7%	4.6%	5.7%	5.7%	6.1%	4.3%	4.6%	0.5%	0.8%	0.4%	0.4%	0.3%	0.9%	0.6%	0.8%	0.6%	10.1%	10.1%	8.0%	9.7%	10.1%	10.1%	10.3%	7.6%	9.0%
	認定者数	235	186	528	344	133	226	149	323	2,124	25	15	64	37	8	19	11	37	216	210	171	464	307	125	207	138	286	1,908
	認知症	80	65	180	122	38	82	49	114	730	4	5	12	6	1	6	2	10	46	76	60	168	116	37	76	47	104	684
	罹患率	34.0%	34.9%	34.1%	35.5%	28.6%	36.3%	32.9%	35.3%	34.4%	16.0%	33.3%	18.8%	16.2%	12.5%	31.6%	18.2%	27.0%	21.3%	36.2%	35.1%	36.2%	37.8%	29.6%	36.7%	34.1%	36.4%	35.8%
H29 2017	人口	1,605	1,245	4,984	2,687	677	1,476	808	2,698	16,180	841	641	2,731	1,431	319	709	356	1,340	8,368	764	604	2,253	1,256	358	767	452	1,358	7,812
	認知症	85	75	200	127	34	86	46	122	775	3	4	12	8	1	5	1	8	42	82	71	188	119	33	81	45	114	733
	罹患率	5.3%	6.0%	4.0%	4.7%	5.0%	5.8%	5.7%	4.5%	4.8%	0.4%	0.6%	0.4%	0.6%	0.3%	0.7%	0.3%	0.6%	0.5%	10.7%	11.8%	8.3%	9.5%	9.2%	10.6%	10.0%	8.4%	9.4%
	認定者	233	194	549	363	122	236	154	341	2,192	21	13	59	40	6	18	9	33	199	212	181	490	323	116	218	145	308	1,993
	認知症	85	75	200	127	34	86	46	122	775	3	4	12	8	1	5	1	8	42	82	71	188	119	33	81	45	114	733
	罹患率	36.5%	38.7%	36.4%	35.0%	27.9%	36.4%	29.9%	35.8%	35.4%	14.3%	30.8%	20.3%	20.0%	16.7%	27.8%	11.1%	24.2%	21.1%	38.7%	39.2%	38.4%	36.8%	28.4%	37.2%	31.0%	37.0%	36.8%
H30 2018	人口	1,641	1,252	5,097	2,723	672	1,484	824	2,777	16,470	855	630	2,713	1,398	325	741	365	1,379	8,406	786	622	2,384	1,325	347	743	459	1,398	8,064
	認知症	93	80	220	137	41	87	44	135	837	7	5	13	10	1	5	1	10	52	86	75	207	127	40	82	43	125	785
	罹患率	5.7%	6.4%	4.3%	5.0%	6.1%	5.9%	5.3%	4.9%	5.1%	0.8%	0.8%	0.5%	0.7%	0.3%	0.7%	0.3%	0.7%	0.6%	10.9%	12.1%	8.7%	9.6%	11.5%	11.0%	9.4%	8.9%	9.7%
	認定者	242	195	587	366	118	226	142	383	2,259	22	14	60	45	9	21	9	36	216	220	181	527	321	109	205	133	347	2,043
	認知症	93	80	220	137	41	87	44	135	837	7	5	13	10	1	5	1	10	52	86	75	207	127	40	82	43	125	785
	罹患率	38.4%	41.0%	37.5%	37.4%	34.7%	38.5%	31.0%	35.2%	37.1%	31.8%	35.7%	21.7%	22.2%	11.1%	23.8%	11.1%	27.8%	24.1%	39.1%	41.4%	39.3%	39.6%	36.7%	40.0%	32.3%	36.0%	38.4%
H31 2019	人口	1,663	1,279	5,226	2,740	673	1,518	830	2,799	16,728	868	644	2,683	1,339	335	762	373	1,403	8,407	795	635	2,543	1,401	338	756	457	1,396	8,321
	認知症	95	73	237	138	40	89	58	127	857	5	4	12	5	0	4	1	9	40	90	69	225	133	40	85	57	118	817
	罹患率	5.7%	5.7%	4.5%	5.0%	5.9%	5.9%	7.0%	4.5%	5.1%	0.6%	0.6%	0.4%	0.4%	0.0%	0.5%	0.3%	0.6%	0.5%	11.3%	10.9%	8.8%	9.5%	11.8%	11.2%	12.5%	8.5%	9.8%
	認定者	245	187	588	389	116	226	156	353	2,260	19	16	63	35	8	21	7	31	200	226	171	525	354	108	205	149	322	2,060
	認知症	95	73	237	138	40	89	58	127	857	5	4	12	5	0	4	1	9	40	90	69	225	133	40	85	57	118	817
	罹患率	38.8%	39.0%	40.3%	35.5%	34.5%	39.4%	37.2%	36.0%	37.9%	26.3%	25.0%	19.0%	14.3%	0.0%	19.0%	14.3%	29.0%	20.0%	39.8%	40.4%	42.9%	37.6%	37.0%	41.5%	38.3%	36.6%	39.7%

1号認定者（65歳以上）の実態（地区別）

4. 筋骨格疾患を有する者

KDB 各年3月分要介護（支援）者実態状況（施設入所・市外住所除く）

	(人)	65歳以上									65～74歳（前期高齢者）									75歳以上（後期高齢者）								
		神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市	神崎	額田	菅谷	五台	戸多	芳野	木崎	瓜連	那珂市
H27 2015	人口	1,522	1,216	4,648	2,585	663	1,394	782	2,576	15,386	782	644	2,686	1,430	280	659	339	1,239	8,059	740	572	1,962	1,155	383	735	443	1,337	7,327
	筋骨格	196	165	433	274	132	200	116	260	1,776	24	10	49	24	5	15	9	28	164	172	155	384	250	127	185	107	232	1,612
	罹患率	12.9%	13.6%	9.3%	10.6%	19.9%	14.3%	14.8%	10.1%	11.5%	3.1%	1.6%	1.8%	1.7%	1.8%	2.3%	2.7%	2.3%	2.0%	23.2%	27.1%	19.6%	21.6%	33.2%	25.2%	24.2%	17.4%	22.0%
	認定者数	226	184	498	316	141	227	136	296	2,024	30	12	67	29	7	21	13	38	217	196	172	431	287	134	206	123	258	1,807
	筋骨格	196	165	433	274	132	200	116	260	1,776	24	10	49	24	5	15	9	28	164	172	155	384	250	127	185	107	232	1,612
	罹患率	86.7%	89.7%	86.9%	86.7%	93.6%	88.1%	85.3%	87.8%	87.7%	80.0%	83.3%	73.1%	82.8%	71.4%	71.4%	69.2%	73.7%	75.6%	87.8%	90.1%	89.1%	87.1%	94.8%	89.8%	87.0%	89.9%	89.2%
H28 2016	人口	1,571	1,230	4,876	2,624	664	1,451	801	2,650	15,867	817	635	2,771	1,424	297	702	345	1,288	8,279	754	595	2,105	1,200	367	749	456	1,362	7,588
	筋骨格	211	167	471	309	126	205	129	294	1,912	20	10	43	30	5	14	9	30	161	191	157	428	279	121	191	120	264	1,751
	罹患率	13.4%	13.6%	9.7%	11.8%	19.0%	14.1%	16.1%	11.1%	12.1%	2.4%	1.6%	1.6%	2.1%	1.7%	2.0%	2.6%	2.3%	1.9%	25.3%	26.4%	20.3%	23.3%	33.0%	25.5%	26.3%	19.4%	23.1%
	認定者数	235	186	528	344	133	226	149	323	2,124	25	15	64	37	8	19	11	37	216	210	171	464	307	125	207	138	286	1,908
	筋骨格	211	167	471	309	126	205	129	294	1,912	20	10	43	30	5	14	9	30	161	191	157	428	279	121	191	120	264	1,751
	罹患率	89.8%	89.8%	89.2%	89.8%	94.7%	90.7%	86.6%	91.0%	90.0%	80.0%	66.7%	67.2%	81.1%	62.5%	73.7%	81.8%	81.1%	74.5%	91.0%	91.8%	92.2%	90.9%	96.8%	92.3%	87.0%	92.3%	91.8%
H29 2017	人口	1,605	1,245	4,984	2,687	677	1,476	808	2,698	16,180	841	641	2,731	1,431	319	709	356	1,340	8,368	764	604	2,253	1,256	358	767	452	1,358	7,812
	筋骨格	215	178	505	339	117	221	139	316	2,030	20	8	45	30	4	12	7	28	154	195	170	460	309	113	209	132	288	1,876
	罹患率	13.4%	14.3%	10.1%	12.6%	17.3%	15.0%	17.2%	11.7%	12.5%	2.4%	1.2%	1.6%	2.1%	1.3%	1.7%	2.0%	2.1%	1.8%	25.5%	28.1%	20.4%	24.6%	31.6%	27.2%	29.2%	21.2%	24.0%
	認定者	233	194	549	363	122	236	154	341	2,192	21	13	59	40	6	18	9	33	199	212	181	490	323	116	218	145	308	1,993
	筋骨格	215	178	505	339	117	221	139	316	2,030	20	8	45	30	4	12	7	28	154	195	170	460	309	113	209	132	288	1,876
	罹患率	92.3%	91.8%	92.0%	93.4%	95.9%	93.6%	90.3%	92.7%	92.6%	95.2%	61.5%	76.3%	75.0%	66.7%	66.7%	77.8%	84.8%	77.4%	92.0%	93.9%	93.9%	95.7%	97.4%	95.9%	91.0%	93.5%	94.1%
H30 2018	人口	1,641	1,252	5,097	2,723	672	1,484	824	2,777	16,470	855	630	2,713	1,398	325	741	365	1,379	8,406	786	622	2,384	1,325	347	743	459	1,398	8,064
	筋骨格	224	183	541	340	112	214	132	359	2,105	21	9	46	35	7	17	7	34	176	203	174	495	305	105	197	125	325	1,929
	罹患率	13.7%	14.6%	10.6%	12.5%	16.7%	14.4%	16.0%	12.9%	12.8%	2.5%	1.4%	1.7%	2.5%	2.2%	2.3%	1.9%	2.5%	2.1%	25.8%	28.0%	20.8%	23.0%	30.3%	26.5%	27.2%	23.2%	23.9%
	認定者	242	195	587	366	118	226	142	383	2,259	22	14	60	45	9	21	9	36	216	220	181	527	321	109	205	133	347	2,043
	筋骨格	224	183	541	340	112	214	132	359	2,105	21	9	46	35	7	17	7	34	176	203	174	495	305	105	197	125	325	1,929
	罹患率	92.6%	93.8%	92.2%	92.9%	94.9%	94.7%	93.0%	93.7%	93.2%	95.5%	64.3%	76.7%	77.8%	77.8%	81.0%	77.8%	94.4%	81.5%	92.3%	96.1%	93.9%	95.0%	96.3%	96.1%	94.0%	93.7%	94.4%
H31 2019	人口	1,663	1,279	5,226	2,740	673	1,518	830	2,799	16,728	868	644	2,683	1,339	335	762	373	1,403	8,407	795	635	2,543	1,401	338	756	457	1,396	8,321
	筋骨格	231	176	550	365	109	215	144	334	2,124	18	11	50	25	6	16	5	27	158	213	165	500	340	103	199	139	307	1,966
	罹患率	13.9%	13.8%	10.5%	13.3%	16.2%	14.2%	17.3%	11.9%	12.7%	2.1%	1.7%	1.9%	1.9%	1.8%	2.1%	1.3%	1.9%	1.9%	26.8%	26.0%	19.7%	24.3%	30.5%	26.3%	30.4%	22.0%	23.6%
	認定者	245	187	588	389	116	226	156	353	2,260	19	16	63	35	8	21	7	31	200	226	171	525	354	108	205	149	322	2,060
	筋骨格	231	176	550	365	109	215	144	334	2,124	18	11	50	25	6	16	5	27	158	213	165	500	340	103	199	139	307	1,966
	罹患率	94.3%	94.1%	93.5%	93.8%	94.0%	95.1%	92.3%	94.6%	94.0%	94.7%	68.8%	79.4%	71.4%	75.0%	76.2%	71.4%	87.1%	79.0%	94.2%	96.5%	95.2%	96.0%	95.4%	97.1%	93.3%	95.3%	95.4%